

ITEM NOS.	DOOR TYPE	DEC	FR	DM	FM	DOOR LEAF	V.P. SIZE		LVR. SIZE		S. O. S.		UNIT PRICE	QTY	UNIT	TOTAL PRICE (SR)
							W	H	W	H	WT	S.O.W.				
1	D4	باب حديد درفتين للمدخل مع لكسان مع حلق حديد مع الاكسوزات قفل ومسكة وسلندر مع مفاح ومفصلات عدد ٦ ومفاح عدد ٢ وفرشة تحت الباب ونفائش عدد ١ وستوير عدد ٢ ونست برووف عدد ١ مع ريز سيل	-	MD	MD	DD	-	-	-	-	150	1400	2100	73	SETS	
2	D5	باب حديد مع حلق حديد مقاوم للحريق ونيكوري مع الاكسوزات بلك نيفاييز ومسكة ونفائش ومفصلاتعدد ٣ وستوير عدد ١ مع ريز سيل	120	MD	MD	SD	-	-	-	-	150	1000	2100	288	SETS	
3	D5	باب حديد مع حلق حديد مقاوم للحريق ونيكوري مع الاكسوزات بلك نيفاييز ومسكة ونفائش ومفصلاتعدد ٣ وستوير عدد ١ مع ريز سيل	120	MD	MD	SD	-	-	-	-	150	1000	2100	288	SETS	
4	D2	باب خشبي مع حلق خشبي مع الاكسوزات قفل مسكة ومفاح و٣ مفصلات	-	WD	WD	SD	-	-	-	-	150	900	2100	7216	SETS	
5	D3	باب خشبي مع حلق خشبي مع الاكسوزات قفل مسكة ومفاح و٣ مفصلات	-	WD	WD	SD	-	-	-	-	150	800	2100	4890	SETS	
6	D1	باب خشبي مع حلق خشبي مع الاكسوزات قفل مسكة ومفاح و٣ مفصلات ونفائش	30	WD	WD	SD	-	-	-	-	150	1000	2100	2409	SETS	
TOTAL AMOUNT SUPPLY FOR DOORS IN S.R														15164		

LEGENDS :

S.O.S - STRUCTURAL OPENING SIZE; S.OW. -STRUCTURAL OPENING WIDTH; S.OH. -STRUCTURAL OPENING HEIGHT

W.T. -WALL THICKNESS,D.L.S. - DOOR LEAF SIZE; D.L.W. -DOOR LEAF WIDTH; D.L.H. -DOOR LEAF HEIGHT

THK -T1 WOODEN DOORS SUPPLY

P.D. -PROFILE DEPTH ; S.N. -SERIAL NUMBER; DESC. -DESCRIPTION; V.P. -VISION PANEL; LVR -LOUVER;

SD -SINGLE DOOR; DD -DOUBLE DOOR; UE -UN EQUAL; SLD -SLIDING

F.R. -FIRE RATING; U.S. -US STANDARD; B.S. -BRITISH STANDARD; SL- SIDE LIGHT; FLD -FOLDING

Ref. WMD-2023-601 - AH
Date
Project JADDAH HOUSING PROJECT

SPECIFICATIONS WOODEN DOORS:

STEEL FRAME

Type SR1-SI (Single Rebate SLID IN)
Material : COLD ROLL Steel Sheet **1 MM THK**
Frame Depth : 150 mm (MAX.)
Stop-Rebate : 15x49 mm
Finish : Powder Coated

STEEL DOOR

Type : INSULATED
Material : COLD ROLL Steel Sheet **1 MM THK**
Door Thickness : 45mm± 1 mm
Core : POLYURTHAN FOAM W/One Vertical Stiffener Spot Welded
to The Face Sheets @ Center Only.
Door Edges : With Vertical Seam
Finish : Powder Coated

NOTES :

- Offered materials shall be produced as per manufacturer's standard construction and finish.
- Due to wood characteristics offered materials shall under no circumstances be exposed to direct water and/ or sunlight. Beuty Design will bear no responsibility for any damages resulting from the above.

Ref. WMD-2023-601 - AH
Date
Project JADDAH HOUSING PROJECT

SPECIFICATIONS WOODEN DOORS:

WOOD DOOR LEAF :

Thickness : 40±1. mm
Subfaces : 4mm MDF with Milamine Face
Stiles & Rails : 36x33 .mm MDF
Core : 33.mm HONEY COMB
Edges : WPVC edge band on three edge

WOOD DOOR FRAME :

Material :30MM MR MDF with Milamine Face
Thickness :30.MM MR MDF

WOOD DOOR ARCHITRAVE :

Thickness : 12mm
Wideness : 50mm

NOTES :

- Offered materials shall be produced as per manufacturer's standard construction and finish.
- Due to wood characteristics offered materials shall under no circumstances be exposed to direct water and/ or sunlight. Beuty Design will bear no responsibility for any damages resulting from the above.